

Material Safety Data Sheet

According to 91/155 EC, 93/112/EC, 2001/58/EC

This International MSDS is for information only. It does not meet all applicable regulatory requirements and does not replace the relevant statutory

data sheet for your country.

Printing Date 20.01.2006

Reviewed on 15.09.2005

1 Product and company identification

- **Brandname:** SUMA SUPER L1 (CH)
- **Application of the product:** Professional kitchen hygiene product.
- **Manufacturer/Supplier:** JohnsonDiversey local operating company
- **Information department:** JohnsonDiversey local operating company
- **Emergency information:** JohnsonDiversey local operating company

2 Composition / Information on ingredients

· **Chemical characterization**

· **Description:**

Mixture in water of non-dangerous ingredients and the substances listed below.

Hazardous ingredients:

6834-92-0 disodium metasilicate 5-15 %

C; R 34-37

EINECS: 229-912-9

1310-58-3 potassium hydroxide 5-15 %

C; R 22-35

EINECS: 215-181-3

7681-52-9 sodium hypochlorite < 5 %

C, N; R 31-34-50

EINECS: 231-668-3

· **Ingredients according to EC Detergents Regulation 648/2004**

phosphates 5 - 15%

chlorine-based bleaching agents < 5%

· **Additional information:**

The full text of the relevant risk phrases is given in section 16.

3 Hazards identification

· **Classification:** C Corrosive

· **Hazards for man and the environment:**

R 31 Contact with acids liberates toxic gas.

R 35 Causes severe burns.

· **Classification system**

The classification complies with current EC regulations on dangerous substances and preparations.

4 First aid measures

· **General information** Remove contaminated clothing immediately.

· **Inhalation**

In case of unconsciousness bring patient into stable side position for transport.

· **Skin contact**

Wash skin immediately and thoroughly with water. Remove contaminated

(Continued on page 2)

Material Safety Data Sheet

According to 91/155 EC, 93/112/EC, 2001/58/EC

This International MSDS is for information only. It does not meet all applicable regulatory requirements and does not replace the relevant statutory

data sheet for your country.

Printing Date 20.01.2006

Reviewed on 15.09.2005

Brandname: SUMA SUPER L1 (CH)

(Continued from page 1)

clothing.

Obtain medical attention if symptoms develop.

· **Eye contact**

Wash immediately with copious amounts of water and obtain medical attention.

· **Ingestion**

Remove material from mouth. Drink one or two glasses of water or milk and obtain medical attention without delay.

5 Fire fighting measures

· **Suitable extinguishing media**

CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· **Protective equipment:** Put on breathing apparatus.

6 Accidental release measures

· **Protection of personnel:**

Put on breathing device.

Wear suitable protective clothing, gloves and eye/face protection.

· **Environmental precautions:** Dilute with plenty of water.

· **Method of disposal:**

Absorb onto dry sand or similar inert material.

Dispose of the collected material according to the regulations.

7 Handling and storage

· **Handling (see also sections 8 and 15)**

· **Information for safe handling:**

Use common rules for working with chemicals.

· **Information about protection against explosions and fires:**

No special measures required.

· **Storage**

· **Requirements for storage rooms and containers:**

According to local legislation.

· **Storage in one common storage facility:**

Do not store together with acids.

According to local legislation.

· **Further information about storage conditions:** None.

8 Exposure controls and personal protection

· **Additional information about design of technical systems:**

No further data; see section 7.

Components with limit values that require monitoring at the workplace: 1310-

(Continued on page 3)

Material Safety Data Sheet

According to 91/155 EC, 93/112/EC, 2001/58/EC

This International MSDS is for information only. It does not meet all applicable regulatory requirements and does not replace the relevant statutory

data sheet for your country.

Printing Date 20.01.2006

Reviewed on 15.09.2005

Brandname: SUMA SUPER L1 (CH)

(Continued from page 2)

58-3 potassium hydroxide (5-15%)

OES (Great Brittain): Short-term value: 2 mg/m³**Additional information:**

The lists that were valid during the compilation were used as basis.

Personal protective equipment**General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Breathing equipment: Personal protection is not normally required.**Protection of hands:**

Chemical-resistant protective gloves made of butyl or nitrile rubber

(EN 374, category III). In consultation with the supplier of protective

gloves a different type of similar quality may be chosen.

Eye protection: Tightly fitting safety glasses.**9 Physical and chemical properties****General Information**

· **Form:** Liquid

· **Colour:**

Clear

Pale yellow

· **Odour:** Chlorine-like

·

Change in condition

· **Melting point/Melting range:**

Value/Range	Unit	Method
Not determined		
Not determined		
Not applicable		
Product is not self igniting.		
Product is not explosive.		
1.39 g/cm ³		
Fully miscible		
pH > 12.5		

· **Boiling point/Boiling range:**

· **Flash point:**

· **Spontaneous combustion:**

· **Danger of explosion:**

· **Density** at 20 ° C

· **Solubility in / Miscibility with**

· **Water:**

· **pH-value:**

10 Stability and reactivity**Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

· **Dangerous reactions** Reacts with acids releasing chlorine

· **Hazardous decomposition products:** Chlorine

(Continued on page 4)

Material Safety Data Sheet

According to 91/155 EC, 93/112/EC, 2001/58/EC

This International MSDS is for information only. It does not meet all applicable regulatory requirements and does not replace the relevant statutory

data sheet for your country.

Printing Date 20.01.2006

Reviewed on 15.09.2005

Brandname: SUMA SUPER L1 (CH)

(Continued from page 3)

11 Toxicological information

- **Acute toxicity:**
- **LD50 (oral):**
Based on the toxicological classification the LD50 (oral) is estimated to be 200-2000 mg/kg.
This value is of no practical significance due to the corrosive nature of the product.
- **Primary irritant effect:**
- **skin contact:** Causes severe burns.
- **eye contact:** Causes severe or permanent damage.
- **inhalation:**
Severe irritant, may cause pulmonary oedema and may cause bronchospasm in chlorine sensitive individuals.
- **ingestion:**
Causes severe burns.
Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
- **Additional toxicological information:**
EC classification:
Corrosive

12 Ecological information

- **General notes:**
Must not reach sewage water or drainage ditch undiluted or unneutralized.
When used for its intended purpose this product should not cause adverse effects in the environment.

13 Disposal considerations

- **Product**
- **Recommendation:** Dispose of observing official regulations.
- **European waste catalogue 20 01 15:** alkalines
- **Uncleaned packagings**
- **Recommendation:** Dispose of observing official regulations.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

14 Transport information

- **Land transport ADR/RID (cross-border)**
- **ADR/RID Class:** 8 Corrosive substances.
- **Kemler Number:** 80
- **UN-Number:** 1719

(Continued on page 5)

Material Safety Data Sheet

According to 91/155 EC, 93/112/EC, 2001/58/EC

This International MSDS is for information only. It does not meet all applicable regulatory requirements and does not replace the relevant statutory

data sheet for your country.

Printing Date 20.01.2006

Reviewed on 15.09.2005

Brandname: SUMA SUPER L1 (CH)

(Continued from page 4)

- **Packaging group:** II
- **Label** 8
- **Proper Shipping Name:** 1719 CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE, HYPOCHLORITE)
- **Maritime transport IMDG:**
- **IMDG Class:** 8
- **UN Number:** 1719
- **Label** 8
- **Packaging group:** II
- **EMS Number:** F-A, S-B
- **Marine pollutant:** No
- **Proper Shipping Name:** CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE, HYPOCHLORITE)
- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** 8
- **UN/ID Number:** 1719
- **Label** 8
- **Packaging group:** II
- **Proper Shipping Name:** CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE, HYPOCHLORITE)
- **Transport/Additional information:**
Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

15 Regulatory information

- **Classification according to EC guidelines:**
The product has been classified and labelled in accordance with current EC Directives.
- **Symbol and hazard indication of product:** C Corrosive
- **Ingredients responsible for the classification:**
disodium metasilicate
potassium hydroxide
- **Risk phrases:**
31 Contact with acids liberates toxic gas.
35 Causes severe burns.
- **Safety phrases:**
26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
28 After contact with skin, wash immediately with plenty of water.
36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

(Continued on page 6)

Material Safety Data Sheet

According to 91/155 EC, 93/112/EC, 2001/58/EC

This International MSDS is for information only. It does not meet all applicable regulatory requirements and does not replace the relevant statutory

data sheet for your country.

Printing Date 20.01.2006

Reviewed on 15.09.2005

Brandname: SUMA SUPER L1 (CH)

(Continued from page 5)

45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

16 Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract.

· **Text of risk phrases associated with ingredients listed in section 2**

22 Harmful if swallowed.
31 Contact with acids liberates toxic gas.
34 Causes burns.
35 Causes severe burns.
37 Irritating to respiratory system.
50 Very toxic to aquatic organisms.

· **Department issuing material safety data sheet:**

JohnsonDiversey Europe BV, Professional & Regulatory Affairs, Research & Development - EMA region, Utrecht, The Netherlands

· **Contact:**

For information to JohnsonDiversey operating companies: JohnsonDiversey Europe BV, Professional & Regulatory Affairs, Research & Development - EMA region, Utrecht, The Netherlands

· **International references:**

· **MSDS code:** MSDS1813
· **Version:** 3
· **MSDS review date:** 15.09.2005
· **Formulation code:** KH.MW.Dt70
· **Clearance code:** DL10245

· * Revisions are indicated by an asterisk (*) in the margin. ÿ